

## PATH TO THE FUTURE

Inspired by the rigorous quality testing in the production of MSI G series, MSI G series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, G series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



Picture and logos

## SELLING POINTS

- 1000R Perfect Curved Screen - Perfectly fits the curvature of the human eye so that you can see the entire screen without any fatigue.
- 170Hz Refresh Rate - Real smooth gaming.
- 1ms response time - eliminate screen tearing and choppy frame rates.
- Night Vision - See every detail clearly in the dark, helping you find and attack enemies before they notice.
- Freesync premium Technology - Tear free, stutter free, fluid gaming.
- HDMI™ CEC Profile Sync - Set up profiles for multiple sets of devices and can automatically detect your settings.
- Frameless design - Ultimate gameplay experience.



1. 1x HDMI™ (2.0b)
2. 1x HDMI™ (2.0b)
3. 1x DisplayPort (1.2a)
4. 1x Earphone out
5. 1x Power Jack

**SPECIFICATION**

Barcode Info	EAN	4719072937799
	UPC	824142281376
	UCC14	10824142281373
Model	Part No	9S6-3CC91T-002
	MKT Name	G272C
	MKT Spec	G272C
	Color	ID1/Black-Black
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	596.736(H)x335.664(V)
	Curvature	Curve 1000R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	SDR Brightness (nits)	300
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	103~186.8 KHz(H) / 48~170 Hz(V)
	Refresh Rate	170Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	101.5% / 84.3%
	NTSC (CIE1931 area percentage/overlap)	82% / 77%
	sRGB (CIE1976 area percentage/overlap)	116.4% / 99.5%
	sRGB (CIE1931 area percentage/overlap)	118.9% / 99.9%
	Adobe RGB (CIE1976 area percentage/overlap)	99.8% / 89%
	Adobe RGB (CIE1931 area percentage/overlap)	88.1% / 81.9%
	DCI-P3 (CIE1976 area percentage/overlap)	92.7% / 92.3%
	DCI-P3 (CIE1931 area percentage/overlap)	87.6% / 87.4%
	Rec.709 (CIE1976 area percentage/overlap)	116.4% / 99.5%
	Rec.709 (CIE1931 area percentage/overlap)	118.9% / 99.9%
	Rec.2020 (CIE1976 area percentage/overlap)	67.6% / 67.6%
	Rec.2020 (CIE1931 area percentage/overlap)	62.9% / 62.9%
	Display Colors	16.7M
	Color bit	8 bits
	Note_DP	1920 x 1080 (Up to 170Hz)
	Note_HDMI™	1920 x 1080 (Up to 165Hz)
	Note_DVI	N/A
I/O Ports	HDMI™	2
	HDMI™ version	2.0b
	HDMI™ HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	1.3
	Headphone-out	1
Lock type	Kensington Lock	
Power	Power Type	External Adaptor 20V 2.25A
	Power Input	100~240V, 50/60Hz
	Energy Efficiency Rating	E
	Adapter's KC safety Number	SU10469-15001
	Power Cord Type	C5

In The Box	3.5mm Mic Cable	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	1
	HDMI™ Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
Quick Guide	1	
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	1000 x 186 x 515
	Outer Carton Dimension (WxDxH) (inch)	39.37 x 7.32 x 20.28
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	607 x 229 x 449
	Product Dimension with Stand (WxDxH) (inch)	23.9 x 9.02 x 17.68
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	607 x 112 x 372
	Product Dimension without Stand (WxDxH) (inch)	23.9 x 4.41 x 14.65
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	478 x 229 x 267
	Stand Dimension (WxDxH) (inch)	18.82 x 9.02 x 10.51
Dimension & Weight	Inside Carton Dimension (WxDxH) (mm)	985 x 171 x 490
	Inside Carton Dimension (WxDxH) (inch)	38.78 x 6.73 x 19.29
	Weight (Net kg)	4.7
	Weight (Gross kg)	7.5
Weight	Weight Without Stand (kg)	3.9
Warranty	Warranty	36M