

PATH TO THE FUTURE

See beyond the Game. Visualize your victory. Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, MAG series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



Picture and logos

SELLING POINTS

- Kavisli Gaming ekran (1500R) - Oyun için en iyi kapsayıcılık.
- 4K Yüksek çözünürlük - Oyunlar 4K çözünürlükte çok daha detaylı ve iyi görünecek.
- HDMI™ 2.1-Konsol kullanıcıları için en iyi çözüm. 4K 120Hz ve HDMI™ arayüzü. 48gb/sn'ye varan bant genişliği
- HDR Ready - Kontrast ve gölge ayarları sayesinde göz alıcı detaylar.
- Gece Görüşü - Karanlıkta en ufak detaylar bile görerek rakiplerinizi daha sizi fark etmeden saldırabilirsiniz.
- Anti-Flicker ve Less Blue Light -daha uzun süre oynayın ve göz yorgunluğunu önleyin.
- Çerçevesiz tasarım - Nihai oyun deneyimi.
- 178° geniş izleme açısı.



1. 5-way joystick navigator
2. 2x HDMI™ (2.1)
3. Display Port (1.4b)
4. Type-C (DP Alt)
5. Earphone out
6. DC Jack

SPECIFICATION

Model	SKU Number	9S6-3DC51A-001
	Entity MKT Name	G321CU
	Part No	9S6-3DC51A-001
	Color	ID1/Black-Black
Display	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	697.306(H) x 392.234(V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	3840x2160 (UHD)
	Pixel pitch (mm)	0.18159(H)x0.18159(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	Dynamic Refresh Rate Activated Range	48~144Hz
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	300
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	180~317 KHz(H) / 48~144 Hz(V)
	Refresh Rate	144HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	100%/85%
	NTSC (CIE1931 area percentage/overlap)	83%/78%
	sRGB (CIE1976 area percentage/overlap)	114%/99%
	sRGB (CIE1931 area percentage/overlap)	118%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	98%/90%
	Adobe RGB (CIE1931 area percentage/overlap)	87%/82%
	DCI-P3 (CIE1976 area percentage/overlap)	91%/91%
	DCI-P3 (CIE1931 area percentage/overlap)	87%/87%
	Rec.709 (CIE1976 area percentage/overlap)	114%/99%
	Rec.709 (CIE1931 area percentage/overlap)	118%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	66%/66%
	Rec.2020 (CIE1931 area percentage/overlap)	62%/62%
	Surface Treatment	Anti-glare
Display Colors	1.07B	
Color bit	10 bits (8 bits + FRC)	
I/O Ports	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.1
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.4a
	DisplayPort HDCP version	2.3
Warranty	Warranty	36M
Power	Power Type	External Adaptor 19V 4.74A
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	33
	Annual Energy Consumption (KWh)	N/A
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	G
Power Cord Type	C5	

In The Box	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	1
	Quick Guide	1
	Warranty Card	0
Mouse Bungee Unit	0	
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	710.5 x 249.3 x 528.2
	Product Dimension without Stand (WxDxH) (mm)	710.5 x 96.8 x 423.3
	Stand Dimension (WxDxH) (mm)	519.8 x 249.3 x 267.5
	Weight (Net kg)	5.9
	Weight Without Stand (kg)	4.8
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	94.7 x 16.4 x 51
	Outer Carton Dimension (WxDxH) (cm)	96.8 x 17.8 x 53
	Weight (Gross kg)	8.62
Barcode Info	EAN	4711377001854