

See beyond the Game. Visualize your victory.

<h2 style =



Selling Points

- Curved Gaming display (1500R) - The best gameplay immersion.
- 165Hz Refresh Rate - Real smooth gaming.
- 1ms response time - eliminate screen tearing and choppy frame rates.
- Wide Color Gamut - Game colors and details will look more realistic and refined, to push game immersion to its limits.
- AMD FreeSync - prevent screen tearing.
- Anti-Flicker and Less Blue Light - game even longer and prevent eye strain and fatigue.
- Frameless design - Ultimate gameplay experience.
- 178° wide view angle.



Picture and logos

System I/O-Ports



1. 5-way joystick navigator
2. 1x DC Jack
3. 2x HDMI 1.4b
4. 1x Display Port 1.2a
5. 1x Earphone out
6. 1x Kensington lock

Specification

Display	Screen Size	31.5" (80 cm)
	Active Display Area (mm)	698.40 (H) x 392.85 (V)
	Curvature	Curve 1500R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.36375(H)X0.36375(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	250
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	30~160 KHz(H) / 60~165 Hz(V)
	Activated Range	48Hz-165Hz
	Refresh Rate	165HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	N/A
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	104.89% / 86.6%
	NTSC (CIE1931 area percentage/overlap)	87.35% / 80.5%
	sRGB (CIE1976 area percentage/overlap)	120.3% / 99.7%
	sRGB (CIE1931 area percentage/overlap)	123.32% / 100.0%
	Adobe RGB (CIE1976 area percentage/overlap)	120.3% / 99.7%
	Adobe RGB (CIE1931 area percentage/overlap)	91.4% / 84.4%
	DCI-P3 (CIE1976 area percentage/overlap)	95.81% / 94.7%
	DCI-P3 (CIE1931 area percentage/overlap)	90.91% / 90.3%
	Rec.709 (CIE1976 area percentage/overlap)	120.3% / 99.7%
	Rec.709 (CIE1931 area percentage/overlap)	123.32% / 100.0%
	Display Colors	16.7M
	Color bit	8 bits
	Note_DP	1920 x 1080 (Up to 165Hz)
Note_HDMI™	1920 x 1080 (up to 144Hz)	
Note_DVI	N/A	
Onboard Graphics	HDMI™	2
I/O Ports	HDMI™ version	1.4b
	HDMI™ HDCP version	N/A
	DisplayPort	1
	DisplayPort version	1.2
	DisplayPort HDCP version	N/A
	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	Headphone-out	1
I/O Ports (Front)	Lock type	Kensington Lock
Power	Thunderbolt	N/A
	Power Supply Type	External Adaptor 20V 3.25A
	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	N/A
	Power Cord Type	N/A
	QC Output	N/A
	QC Output Power	N/A
PD Output	N/A	
PD Output Power	N/A	

In The Box	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	N/A
	USB Type C to Type C Cable	0
	Thunderbolt Cable	N/A
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	898 x 210 x 565
	Outer Carton Dimension (WxDxH) (inch)	35.35 x 8.27 x 22.24
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	709.4 x 248.9 x 509.5
	Product Dimension with Stand (WxDxH) (inch)	27.93 x 9.8 x 20.06
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	709.4 x 92.2 x 429.3
	Product Dimension without Stand (WxDxH) (inch)	27.93 x 3.63 x 16.9
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	709.4 x 248.8 x 509.5
	Stand Dimension (WxDxH) (inch)	27.93 x 9.8 x 20.06
Dimension & Weight	Inside Carton Dimensions (WxDxH) (mm)	883 x 195 x 540
	Inside Carton Dimensions (WxDxH) (inch)	34.76 x 7.68 x 21.26
	Weight (Net kg)	6.4
	Weight (Gross kg)	9.1
Warranty	Warranty	36M
Model	SKU Number	0
Barcode Info	EAN	4719072669607
	UPC	824142195659