

Work Smart. Play Hard.

Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. MSI Optix MAG162V is suitable for various uses, the portable design allows you to bring it everywhere with you. No matter you are working or gaming, there's no doubt that MSI Optix MAG162V will be your best choice.



Picture and logos

SELLING POINTS

- 15.6" FHD IPS Panel - İzleme deneyiminizi geliştirin
- Taşınabilir Tasarımı, koruyucu çantası ile istediğiniz zaman ve istediğiniz yere zahmetsizce taşıma olanağı sunar.
- Soketli Tripod tasarımı ile kendinize rahatça yaklaştırabileceğiniz esnekliği sağlar.
- Genişletilen standı daha dik bir ekran pozisyonu sunarak ergonomik ve konforlu bir kullanım sunar.
- Yalnızca 1.08 cm (0.4") ultra ince profili ile son derece hafiftir ve sadece 0.75 kg (1.65 lbs) ağırlığındadır.
- MSI EyesErgo teknolojisine ek olarak kırışma yapmayan Anti-flicker, daha az mavi ışık yayan Less Blue Light, parlamayı önleyen Anti-glare paneli ile gözlerinizi korur.
- Type-C/mini HDMI™ Çoklu Giriş- Akıllı telefon, kamera, laptop veya PC gibi farklı cihazları zahmetsizce bağlayın.
- Ergonomik tasarıma sahip katlanabilir standı 0° ~ 180° açığı sahiptir Böylece ekranı hem dikey, hem de yatay olarak kullanabilirsiniz.
- L profilli jaklar kabloların bükülmesini ve kopmasını engelleyerek rahat kullanım ve kesintisiz sinyal almanızı sağlar.
- Display Kit ergonomik yazılımı kullanım senaryonuza uygun en iyi renk ve görüntü ayarlarını yapmanızı sağlayan kullanışlı bir araçtır.
- Dahili Hoparlörler - Hareket halinde harika ses deneyimi



1. Power Button & Controller
2. 1x USB Type-C
3. 1x USB Type-C
4. 1x Mini-HDMI™ (2.0b)
5. 1/4" Tripod Socket

SPECIFICATION

Model	Part No	9S6-3PB70H-032
	Color	ID1/Iron Gray-Iron Gray
	MKT Name	PRO MP161 E2
	MKT Spec	PRO MP161 E2
	Model	3PB7
Display	Screen Size	15.6" (39.6 cm)
	Active Display Area (mm)	344.16(H)x193.59(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.17925(H)x0.17925(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	SDR Brightness (nits)	250
	Contrast Ratio	800:1
	DCR (Dynamic Contrast Ratio)	10000000:1
	Signal Frequency	111~138.9 KHz(H) / 50~60 Hz(V)
	Refresh Rate	60Hz
	Response Time (GTG)	4ms
	View Angles	170°(H)/170°(V)
	NTSC (CIE1976 area percentage/overlap)	45%/45%
	NTSC (CIE1931 area percentage/overlap)	45%/45%
	sRGB (CIE1976 area percentage/overlap)	51%/35%
	sRGB (CIE1931 area percentage/overlap)	63%/63%
	Adobe RGB (CIE1976 area percentage/overlap)	43%/43%
	Adobe RGB (CIE1931 area percentage/overlap)	47%/47%
	DCI-P3 (CIE1976 area percentage/overlap)	40%/37%
	DCI-P3 (CIE1931 area percentage/overlap)	46%/46%
	Rec.709 (CIE1976 area percentage/overlap)	51%/35%
	Rec.709 (CIE1931 area percentage/overlap)	63%/63%
	Rec.2020 (CIE1976 area percentage/overlap)	29%/29%
	Rec.2020 (CIE1931 area percentage/overlap)	33%/33%
Surface Treatment	Anti-glare	
Display Colors	262K	
Color bit	6 bits	
I/O Ports	USB Type C (DisplayPort Alternate)	2
	Card reader	N/A
	Lock type	Kensington Lock
	Speaker	2
	HDMI	1
	HDMI version	2.0b
	HDMI HDCP version	2.3
Warranty	Warranty	24M
Power	Power Type	USB Cable
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	7W
	Annual Energy Consumption (KWh)	7W
	Standby-mode Power Consumption (W)	0.5W
	Off-mode Power Consumption (W)	0.3W
	Energy Efficiency Rating	C

In The Box	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	1
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	0
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
VESA Screw	0	
I/O Ports (Front)	Card Reader	N/A
Design	Adjustment (Tilt)	0° ~ 180°
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	362.26 x 233.84 x 18.8
	Product Dimension without Stand (WxDxH) (mm)	362.26 x 233.84 x 10.8
	Stand Dimension (WxDxH) (mm)	134.91 x 39 x 7.5
	Weight (Net kg)	0.75Kg
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	N/A
	Outer Carton Dimension (WxDxH) (cm)	N/A
	Weight (Gross kg)	1.6Kg
Barcode Info	EAN	4711377189477
	UPC	824142353899
	UCC14	10824142353896
I/O Ports (Rear)	Lock type	Kensington Lock
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	0.75Kg
	Weight (Gross kg)	1.6Kg
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	362.26 x 232.92 x 18.8
	Product Dimension with Stand (WxDxH) (inch)	14.26 x 9.17 x 0.74
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A