

Be Your Window To The World



Picture and logos

SELLING POINTS

- 24,5 inç Genişletilmiş Ekran - Sınırlı alan içinde geniş ekran.
- Konforlu ekran boyutuyla ofis ve çalışma masası için idealdir.
- TÜV sertifikalı ekran, görme duyusunun ve göz sağlığının korunmasına yardımcı olur.
- Anti-Flicker teknolojisine sahip MSI EyesErgo teknolojisi, göz yorgunluğunu önlemeye yardımcı olur.
- 100Hz tazeleme oranı, kırışmasız görüntü ile daha iyi bir izleme deneyimi sunar.
- MSI Eye-Q Check, monitörü uzun süre kullandığınızda dinlenme hatırlatması yapar.
- HDMI™ ve D-Sub (VGA) bağlantı noktaları gibi çoklu giriş kaynaklarını kullanarak çeşitli cihazlar arasında çok yönlülüğü koruyun.
- Kullanışlı ve takılıp çıkarılabilir kablo tasarımı ile temiz bir çalışma ortamının keyfini çıkarın.
- Standart VESA montaj tasarımı.
- Çift dahili hoparlör



1. 1x DC-in
2. 1x HDMI (1.4b)
3. 1x D-Sub (VGA)
4. 1x Line-in
5. 1x Headphone-out
6. 1x Kensington Lock
7. 1x 5-way navigator

SPECIFICATION

Model	SKU Number	9S6-3PC2CM-002
	Entity MKT Name	PRO MP251
	Part No	9S6-3PC2CM-002
	Color	ID1/Black-Black
	MKT Name	PRO MP251
	MKT Spec	PRO MP251
	Model	3PC2
Display	Screen Size	24.5" (62.2cm)
	Active Display Area (mm)	543.7(H)x302.6 (V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.2802(H)x0.2802(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48 ~ 100Hz
	HDR (High dynamic range)	N/A
	SDR Brightness (nits)	300
	Contrast Ratio	1300:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	52.416~112.5 KHz(H) / 48~100 Hz(V)
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	88.1%/78.2%
	NTSC (CIE1931 area percentage/overlap)	73.7%/71.1%
	sRGB (CIE1976 area percentage/overlap)	101%/95.9%
	sRGB (CIE1931 area percentage/overlap)	104.1%/96.1%
	Adobe RGB (CIE1976 area percentage/overlap)	86.6%/83.5%
	Adobe RGB (CIE1931 area percentage/overlap)	77.2%/74%
	DCI-P3 (CIE1976 area percentage/overlap)	80.4%/79.9%
	DCI-P3 (CIE1931 area percentage/overlap)	77.2%/74%
	Rec.709 (CIE1976 area percentage/overlap)	101%/95.9%
	Rec.709 (CIE1931 area percentage/overlap)	104.1%/96.1%
	Rec.2020 (CIE1976 area percentage/overlap)	58.6%/58.6%
	Rec.2020 (CIE1931 area percentage/overlap)	55.1%/55.1%
	Surface Treatment	Anti-glare
Display Colors	16.7M	
Color bit	8 bits (6 bits + FRC)	
I/O Ports	Thunderbolt version	N/A
	Thunderbolt HDCP version	N/A
	USB Type C (DisplayPort Alternate)	N/A
	D-Sub	1
	Line-in	1
	Headphone-out	1
	Card reader	N/A
	Lock type	Kensington Lock
	Speaker	2
	HDMI	1
	HDMI version	1.4b
	HDMI HDCP version	1.4
	Warranty	Warranty

Power	Power Type	External Adaptor 12V 2.5A
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	18W
	Annual Energy Consumption (KWh)	26kWh
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	E
	Power Cord Type	C13
In The Box	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	1
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
VESA Screw	0	
I/O Ports (Front)	Card Reader	N/A
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	557.5 x 207.2 x 422.1
	Product Dimension without Stand (WxDxH) (mm)	557.5 x 51.6 x 327
	Stand Dimension (WxDxH) (mm)	227.8 x 207.2 x 143.8
	Weight (Net kg)	2.9
	Weight Without Stand (kg)	2.4
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	N/A
	Outer Carton Dimension (WxDxH) (cm)	N/A
	Weight (Gross kg)	4.4
Barcode Info	EAN	4711377127172
	UPC	824142334058
	UCC14	10824142334055
I/O Ports (Rear)	Lock type	Kensington Lock
Dimension & Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	N/A
	Weight (Gross kg)	N/A
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	557.5 x 198.3 x 421.8
	Product Dimension with Stand (WxDxH) (inch)	21.95 x 7.81 x 16.61
Weight	Weight Without Stand (kg)	N/A
	Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)