Modern AM242 1M



Be Your Window To The World


The MSI Modern Series All-in-One PC is no longer just a functional product solely focused on meeting users' demands, it is the representation of a craftsman's spirit of excellence and the unrestrained freedom of fashion attitude. Likewise, the Modern Series have functions that fully meet the needs of users and the appearance that can be integrated into various environments. No matter where you are, you must retain your style and persistence in life.



Picture and logos

SELLING POINTS

- Windows 11 Home MSI recommends Windows 11 Pro for business
- 23.8"IPS等級面板LED背光□1920 x 1080 FHD□□採用 TUV 認證的防閃爍與減藍光技
- 最高搭載Intel® Core™ 7 處理器150U DDR5 內存記憶體
- 支援即時顯示技術使AIO無需系統啟動即可進入顯示器模式
- dTPM 和具有 Windows Hello 功能的內建 FHD 網路攝影機改善用戶隱私並保護機密數據
- MSI 存儲快速升級設計,幫助快速升級2.5"存儲裝置
- MSI Cloud Center幫助備份您移動設備□Android 和 iOS□的檔案
- MSI AI Engine自動偵測使用者場景調整效能、音效和顯示模式
- 24/7 合格可靠性測試



- 1. 2x USB3.2 Gen 2 Type C
- 2. 2x USB3.2 Gen 2 Type A
- 3. 1x Mic-in/Headphone-out combo
- 4. 1x Switchable 2.5" Storage
- **5.** 5-Way Navigator
- **6.** 1x DC-in
- 7. 1x Kensington Lock
- **8.** $1x HDMI^{m}$ in
- 9. 1x HDMI[™] out (supports 4K @60Hz as specified in HDMI[™] 2.1)
- **10.** 2x USB 2.0 Type A
- **11.** 1x RJ45 LAN
- 12. 1x Removable Webcam Cover



Modern AM242 1M

MODERN AM242 1M-2081TW

SPECIFICATION

	Operating Systems	Windows 11 Pro
型號	Part No	9S6-AE0721-2081
	MKT Name	Modern AM242 1M
	MKT Spec	Modern AM242 1M-2081TW
	Color	ID1/Black-Black-Black
	Chipsets	SoC SoC
田月 粗	Memory Size	16GB(16GB*1)
記憶體	Memory Type	DDR5 SDRAM
	Memory Speed	
		2800(5600)MHz SO-DIMM
	Module Type	
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
處理器	CPU Number	Intel Core 5 Processor 120U
	CPU Clock	1.4GHz
	CPU Cores	10
	TDP	15W
	Max Turbo Frequency	up to 5.00 GHz
	Cache	12 MB Intel® Smart Cache
	Threads	12
	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch
	Screen Size	23.8" (60cm)
	Panel Type	IPS
顯示器	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
	Response Time (GTG)	14ms
顯示卡	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
音效	Audio Chipset	Realtek ALC256
	Audio Type	2.1 Channel HD Audio
	SSD Interface	PCIe GEN4x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
儲存裝置	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Total) 2.5" Drive Bays (Free)	1
	3.5" Drive Bays (Free)	0
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Input Device	Webcam	internal webcam
	Webcam Resolution	N/A
	Webcam supports Windows Hello or not	Yes





Modern AM242 1M

MODERN AM242 1M-2081TW

	Mic-in/Headphone-out combo	1
連接埠 (Side)	USB 3.2 Gen 2 (10G) Type C	2
	USB 3.2 Gen 2 (10G) Type A	2
連接埠(背面)	USB 2.0 Type A (R)	2
	RJ45	1
	HDMI out	1x (v2.1)
	HDMI in	1
		<u> </u>
/1 🖂	Lock type	Kensington
保固	Warranty	60months
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Product Dimension with Stand (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (inch)	N/A
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
D 1 0 2 B	Outer Carton Dimension with Holder (WxDxH) (inch)	N/A
尺寸 & 重量	Outer Carton Dimension with Stand (WxDxH) (mm)	631 x 170 x 493
	Outer Carton Dimension with Stand (WxDxH) (inch)	24.84 x 6.69 x 19.41
	Weight (Net kg)	N/A
	Weight (Net lbs)	N/A
	Weight (Gross kg)	N/A
	Weight (Gross lbs)	N/A
	Adjustment (Tilt)	-5°~15° ±2°
STAND	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A
 電源規格	AC Adapter Output	120W
VESA	VESA size	75 x 75 mm
Mechanical and Environmental	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	1
	User Manual	N/A
配件內容	VESA Mount kit	N/A
		SG76130XMA
	Keyboard Interface	
	Keyboard Interface	USB
Water Maria	Mouse	SM9023M
	Mouse Interface	USB
條碼資訊	EAN	4711377391818