


## PATH TO THE FUTURE



Picture and logos

## SELLING POINTS

- Windows 10 Home - MSI推薦商務用 Windows 11 Pro免費升級為 Windows 11\*
  - Intel® Celeron® 5205U/ Intel® Pentium® Gold 6405U處理器
  - 15.6"□1366 \* 768□ LCD背光單點觸控面板
  - 無風扇設計
  - 防眩光顯示器
  - 支援2.5吋硬碟
  - COM Port x 2 / RJ-45 LAN x 2 / USB 3.2 Gen 1 x 4 / USB2.0 x 2 / VGA-out x 1 / Printer Port x 1
- \*功能與應用程式升級時間因設備/地區而異。某些功能需要特定的硬體（請參閱 [aka.ms/windows11-spec](http://aka.ms/windows11-spec)）



1. 1x Card Reader
2. 2x USB 3.2 Gen 1 Type A
3. 1x DC-in
4. 1x Parallel Port (Printer Port)
5. 2x COM port
6. 1x VGA-out
7. 2x RJ45
8. 2x USB 2.0 Type A
9. 2x USB 3.2 Gen 1 Type A
10. 1x Line-out/Microphone-in

**SPECIFICATION**

作業系統	作業系統	Windows 10 Pro 推出時免費升級為 Windows 11*
處理器	CPU Number	Intel Celeron 5205U
	CPU Clock	1.9GHz
	CPU Cores	2
	TDP	N/A
	Cache	2MB
	Threads	2
	Max Turbo Frequency	-
晶片組	Chipsets	SoC
顯示卡	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
記憶體	Memory Size	4GB(4GB*1)
	Memory Type	DDR4 SDRAM
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/1
	Max Capacity	Max 32GB
儲存裝置	SSD Interface	SATA GEN3
	SSD Form Factor	M.2-2280 B+M KEY
	SSD Config	128GB*1
	SSD Size	128GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	0/
mSATA slots(Free)	0	
音效	Audio Chipset	Realtek ALC233
	Audio Type	7.1 Channel HD Audio
Communications	LAN	Realtek RTL8111H
	WLAN Version	802.11ax 2x2+BT
	BT Version	5.2
	WLAN	INTEL/AX201.NG.WG.NVW
連接埠 (正面)	USB 3.2 Gen 1 Type A	2
	Card Reader	1
連接埠 (背面)	USB 3.2 Gen 1 Type A (R)	2
	USB 2.0 Type A (R)	2
	RJ45	2
	VGA out	1
	COM Port	2
	Mic-in/Headphone-out combo (R)	1
	Printer Port (Parallel)	1
電源規格	AC Adapter Output	65W
	Battery	N/A
	Battery Whrs	N/A

尺寸 & 重量	Weight (Net kg)	N/A
	Weight (Gross kg)	N/A
	Product Dimension with Holder (WxDxH) (mm)	399.5 x 69.2 x 313.9
	Product Dimension with Holder (WxDxH) (inch)	15.73 x 2.72 x 12.36
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (inch)	N/A
	Outer Carton Dimension with Holder (WxDxH) (mm)	528 x 183 x 393
產品尺寸 (寬X深X高)	Product Dimension with Stand (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (inch)	N/A
Input Device	WebCam	internal webcam
Mechanical and Environmental	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
保固	Warranty	36months
配件內容	Keyboard Interface	N/A
	Mouse Interface	N/A
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Mouse	N/A
條碼資訊	EAN	4719072960247
顯示器	Screen Size	15.6" (40 cm)
	Active Display Area (mm)	344.132(H)x193.436(V)
	Curvature	Flat
	Panel Type	TN
	Resolution	1366x768 (HD)
	Brightness (nits)	220
	Response Time (GTG)	10 ms
	View Angles	45°(H)/45°(V)
	Touch Screen	Single Point Resistive Touch Screen
Display Colors	262K	
型號	Part No	9S6-A61811-098
	MKT Name	PRO 16T 10M
	MKT Spec	PRO 16T 10M-098TW
	Color	ID1/Black-Black-Black
	Model	A618