

More than Professional, Forged with Style



Picture and logos

SELLING POINTS

- Windows 10 Home - MSI推薦商務用 Windows 11 Pro免費升級為 Windows 11*
 - 21.5" IPS等級液晶面板LED背光 (1920 x 1080 FHD)
 - AMD Ryzen™ 3000系列桌上型處理器
 - 可選購10點觸控面板[PRO 22XT]
 - 防閃爍和減藍光技術保護用戶的眼睛
 - 5向導航儀，便於控制OSD按鈕
 - Silent PRO Cooling System[可確保穩定機器運行，並延長使用壽命]
 - 2.5吋儲存碟快速升級維護設計
 - USB 3.1 Gen 1 Type C輕鬆連接USB設備
 - 擁有完整的I/O連接埠，可以連接您所需要的設備
 - 條碼掃描器、信用卡讀卡器、打印機或取款機等接孔設計
 - 178° 廣視角螢幕
 - 內建MSI Super Charger快速充電技術
- *功能與應用程式升級時間因設備/地區而異。某些功能需要特定的硬體（請參閱 aka.ms/windows11-spec）



1. 1x Card Reader
2. 1x USB 3.1 Gen 1 Type A
3. 1x USB 3.1 Gen 1 Type C
4. 1x Kensington Lock
5. 1x RJ45 LAN
6. 1x HDMI™-in / 1x HDMI™-out
7. 1x COM port
8. 2x USB 3.1 Gen 1 Type A / 2x USB 2.0 Type A
9. 1x MIC-in / 1x Headphone-out
10. 1x 5-Way Navigator OSD Control Button



一體成型電腦

PRO 22X AM

PRO 22X AM-011TW-BAR332G8GH1T0X10MHANS

SPECIFICATION

Operating Systems	Operating Systems	Windows 10 Home 推出時免費升級為 Windows 11*
Barcode Info	EAN	4719072724887
Model	Part No	9S6-ACD211-011
	MKT Name	PRO 22X AM-011TW-BAR332G8GH1T0X10MHANS
	MKT Spec	PRO 22X AM-011TW-BAR332G8GH1T0X10MHANS
	Color	ID1/Black-Black-Black
Display	Screen Size	21.5" (55 cm)
	Active Display Area (mm)	476.064(H) ×267.786(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.24795(H)X0.24795 (V)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Signal Frequency	64~83 KHz(H) / 50~75 Hz(V)
	Response Time (GTG)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Non-glare
	Touch Screen	Non-touch
	Display Colors	16.7M
I/O Ports	Lock type	Kensington
Processor	CPU Number	AMD Ryzen 3 3200G
	CPU Clock	3.6GHz
	CPU Cores	4
	TDP	65W
	Cache	2MB
	Threads	4
Chipset	Chipsets	A320
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Memory Speed	1333(2666)MHz
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/1
	Max Capacity	Max 16GB
Storage	SSD Size	N/A
	HDD1 Size	1TB*1
	SSD Config	N/A
	SSD Interface	N/A
	SSD Form Factor	N/A
	M.2 slots (Total/Free)	1/1
	HDD1 RPM	7200RPM
	HDD1 Form Factor	2.5 inch 7mm
	HDD1 Interface	SATA GEN3
	3.5" Drive Bays (Total/Free)	0/
	2.5" Drive Bays (Total/Free)	1/0
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
Communications	LAN	Realtek RTL8111H
	WLAN	INTEL/3168.NGWW
	WLAN Version	802.11ac 1x1+BT
	BT Version	4.2
Audio	Audio Chipset	Realtek ALC887
	Audio Type	7.1 Channel HD Audio
I/O Ports (Front)	USB 3.2 Gen 1 Type A	1
	USB 3.2 Gen 1 Type C	1

"2023-06-07 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."



一體成型電腦

PRO 22X AM

PRO 22X AM-011TW-BAR332G8GH1T0X10MHANS

I/O Ports (Rear)	USB 3.2 Gen 1 Type A (R)	2
	USB 2.0 Type A (R)	2
	RJ45	1
	Card Reader	1
	HDMI™ out	1x (v1.4)
	COM Port	1
	HDMI™ in	1
Power	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
Accessories	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	SK9626M
	Mouse	SM9023M
Mechanical and Environmental	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
Design	Adjustment (Tilt)	Front 5°/Rear 15°
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	500 x 210 x 370
	Product Dimension with Stand (WxDxH) (inch)	19.69 x 8.27 x 14.57
Dimension&Weight	Weight (Net kg)	5.9
	Weight (Gross kg)	8.55
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	N/A
	Inside Carton Dimension with Stand (WxDxH) (inch)	N/A
	Outer Carton Dimension with Holder (WxDxH) (mm)	N/A
Warranty	Warranty	36M