


Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI recommends Windows 11 Pro for business
- 2.3 升，支援 VESA 安裝設計
- 最高搭載Intel® Core™ i7 14700處理器 □DDR5 SO-DIMM 雙通道內存記憶體
- Intel® vPro® 平台和支援dTPM
- 支援外接雙顯示器和易於升級零組件設計
- MSI AI Engine□優化使用者體驗，無需手動配置
- MSI Power Link□PRO DP21 14MQ 系列可透過 MSI Power Link 技術由 MSI 特定的顯示器進行供電
- 功率計可一鍵省電、碳排放計算、電費估算
- 採用 PCR 再生塑膠製成□ FSC™ 認證紙箱；使用再生紙漿模塑減少廢棄物（100% 可回收）； 92% 在工廠使用再生能源製造



1. 1x Mic-in / Headphone-out Combo
2. 2x USB 10Gbps Type A
3. 1x Micro-SD card Reader
4. 1x External Power Switch Slot
5. 2x USB 10Gbps Type A
6. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1)
7. 2x RJ45 LAN (2.5G)
8. 1x HDMI out (supports 4K @60Hz as specified in HDMI 2.1) which supports the MSI Power Link
9. 1x DC Jack
10. 1x Thunderbolt 4 (DP 1.4 alt-mode up to 4K@60Hz / PD-out 15W)
11. 1x Thunderbolt 4 (DP 1.4 alt-mode up to 4K@60Hz / PD-out 15W / PD-in up to 100W)
12. 1x Kensington Lock Slot



PRO DP21 14MQ

PRO DP21 14M-892TW

SPECIFICATION

作業系統	作業系統	Windows 11 Pro
	Operating Systems	Windows 11 Pro
處理器	CPU Number	Intel Core i5 Processor 14400
	CPU Clock	2.5GHz
	CPU Cores	10
	TDP	65W
	Cache	20 MB Intel® Smart Cache
	Threads	16
	Max Turbo Frequency	up to 4.70 GHz
	CPU Cooler	Air cooling 65W
	Platform TOPS	N/A
	NPU TOPS	N/A
型號	Part No	9S6-B0A431-892
	MKT Name	PRO DP21 14M
	MKT Spec	PRO DP21 14M-892TW
	Color	ID1/Black-Black-Black
	Model	B0A4
晶片組	Chipsets	H610
記憶體	Memory Size	8GB(8GB*1)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	1
	Max Capacity	Max 64GB
	Memory Slot (Total/Free)	2/1
顯示卡	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	N/A
儲存裝置	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	512GB*1
	SSD Size	512GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	2/2
	3.5" Drive Bays (Total/Free)	N/A/0
	mSATA slots(Free)	0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	2
	2.5" Drive Bays (Free)	2
	3.5" Drive Bays(Total)	N/A
	3.5" Drive Bays(Free)	0
音效	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
	D-MIC	N/A
Communications	LAN	N/A
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NGWG.NV



BUSINESS & PRODUCTIVITY PCS

PRO DP21 14MQ

PRO DP21 14M-892TW

連接埠（正面）	Thunderbolt	N/A
	USB 2.0 Type A	2
	Audio Mic-in	1
	Audio Headphone-out	1
	Audio Headphone-out (HiFi/SPDIF)	N/A
	Mic-in/Headphone-out combo	N/A
	USB 3.2 Gen 2x2 (20G) Type C	N/A
	USB 3.2 Gen 2 (10G) Type C	N/A
	USB 3.2 Gen 2 (10G) Type A	N/A
	USB 3.2 Gen 1 (5G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	1
	Card Reader	N/A
	Copilot Button	N/A
連接埠 (Side)	USB 2.0 Type A	2
	Mic-in/Headphone-out combo	N/A
	Card Reader	N/A
	Thunderbolt	N/A
	USB 3.2 Gen 2x2 (20G) Type C	N/A
	USB 3.2 Gen 2 (10G) Type C	N/A
	USB 3.2 Gen 2 (10G) Type A	N/A
	USB 3.2 Gen 1 (5G) Type C	1
	USB 3.2 Gen 1 (5G) Type A	1
連接埠（背面）	USB 2.0 Type A (R)	N/A
	Thunderbolt (R)	N/A
	RJ45	1
	WiFi Antenna	N/A
	HDMI out	1x (v2.1)
	DP out	1x (v1.4)
	mini DP in	N/A
	mini DP out	N/A
	PS/2	N/A
	COM Port	1
	DVI-D out	N/A
	Audio jack	N/A
	S/PDIF	N/A
	Flash BIOS Button	N/A
	Card Reader (R)	N/A
	USB 3.2 Gen 2x2 (20G) Type C (R)	N/A
	USB 3.2 Gen 2 (10G) Type C (R)	1
	USB 3.2 Gen 2 (10G) Type A (R)	3
	USB 3.2 Gen 1 (5G) Type C (R)	N/A
	USB 3.2 Gen 1 (5G) Type A (R)	N/A
	Lock type	Kensington Lock
	USB 4 (40G) Type C (R)	N/A
電源規格	Power	120W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
VESA	VESA size	N/A
保固	Warranty	36months
尺寸 & 重量	Product Dimension (WxDxH) (mm)	204 x 208 x 54.8
	Product Dimension (WxDxH) (inch)	8.03 x 8.19 x 2.16
	Inside Carton Dimension (WxDxH) (mm)	8.03 x 8.19 x 2.16
	Inside Carton Dimension (WxDxH) (inch)	0.32 x 0.32 x 0.09
	Weight (Net kg)	1.27
	Net Weight (lbs)	2.8
	Weight (Gross kg)	2.8
	Gross Weight (lbs)	6.17
	Liter	2.3
	Pint	4.86



B U S I N E S S & P R O D U C T I V I T Y P C S

PRO DP21 14MQ

P R O D P 2 1 1 4 M - 8 9 2 T W

Mechanical and Environmental	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI
	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
配件內容	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	N/A
	Keyboard Interface	N/A
	Mouse	N/A
	Mouse Interface	N/A
條碼資訊	Power Switch	1
	EAN	4711377308885