

PATH TO THE FUTURE



Selling Points

- Windows 10 Home - MSI khuyến dùng Windows 11 ProFREE Upgrade to Windows 11*
- DDR4 2400 MHz lên đến 8GB
- Bộ xử lý lên đến Intel® Gemini Lake Pentium®
- Thiết kế không quạt
- Dung tích chỉ 0,45L lít
- Tối đa tới 1 x M.2 SSD chuyển đổi tự động PCI-e / SATA hoặc 1 x 2,5 inch SATA HDD
- 802.11ac Combo Card
- Hỗ trợ gắn VESA tiêu chuẩn



Picture and logos

System I/O-Ports



1. 2x USB 3.1 Gen1 Type-A
2. 1x Lin in/out
3. 1x DC jack
4. 1x VGA out
5. 1x RJ45
6. 2x USB 3.1 Gen1 Type-A
7. 1x HDMI out

Specification

Operating Systems	N/A
Power	40W
Power Certification	N/A
Formfactor	N/A
Type	ADAPTOR
CPU Number	Intel Celeron N4000
CPU Clock	1.1GHz
CPU Cores	2
TDP	6W
Cache	4 MB
Threads	2
Chipsets	N/A
VGA IO Port	N/A
VGA MKT Name	N/A
Memory Type	N/A
Memory Speed	N/A
Module Type	SO-DIMM
Memory Slot(Total)	1
Memory Slot(Free)	1
Max Capacity	Max 8GB
SSD Interface	N/A
SSD Form Factor	N/A
SSD Config	N/A
SSD Size	N/A
HDD1 Interface	N/A
HDD1 Form Factor	N/A
HDD1 Size	N/A
HDD1 RPM	N/A
ODD(Type)	N/A
ODD Height	N/A
ODD Type	N/A
M.2 slots(Total)	1
M.2 slots(Free)	1
2.5" Drive Bays(Total)	1
2.5" Drive Bays (Free)	1
LAN	Realtek RTL8111H
WLAN	INTEL/3168.NGWW
WLAN Version	802.11ac 1x1+BT
BT Version	4.2
Audio Chipset	Realtek ALC283
Audio Type	2.1 Channel HD Audio
USB 2.0 Type A	NA
USB 2.0 Type C	NA
USB 3.2 Gen 1 Type A	2
USB 3.2 Gen 1 Type C	NA
USB 3.2 Gen 2 Type A	NA
USB 3.2 Gen 2 Type C	NA
USB 3.2 Gen 2x2 Type C	NA
Audio Mic-in	NA
Audio Headphone-out	NA
Audio Headphone-out (HiFiSPDIF)	NA
Mic-inHeadphone-out combo	1
USB 3.2 Gen 2x2 Type C (R)	N/A
USB 3.2 Gen 2 Type C (R)	NA
USB 3.2 Gen 2 Type A (R)	NA
USB 3.2 Gen 1 Type C (R)	NA
USB 3.2 Gen 1 Type A (R)	2
USB 2.0 Type C (R)	N/A
USB 2.0 Type A (R)	NA
Thunderbolt (R)	N/A
RJ45	1
Card Reader	NA
VGA out	1



BUSINESS & PRODUCTIVITY PCS

Cubi N 8 GL

CUBI N 8GL-015BVN

VR-Link	NA
HDMI out	1x (v1.4)
DP out	NA
mini DP out	NA
PS2	NA
COM Port	NA
DVI-D out	NA
Audio jack	NA
SPDIF	NA
Power Cord	1
AC Adaptor	1
Warranty Card	1
Quick Guide	2
User Manual	N/A
VESA Mount kit	1
Keyboard	N/A
Mouse	N/A
Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Regulatory Compliance	FCC(Class B) CB/CE UL(CUL) BSMI VCCI RCM(C-Tick)
Product Dimension (WxDxH) (mm)	112 x 116 x 44.47
Product Dimension (WxDxH) (inch)	4.41 x 4.57 x 1.75
Inside Carton Dimension (WxDxH) (mm)	205 x 220 x 94
Inside Carton Dimension (WxDxH) (inch)	8.07 x 8.66 x 3.7
Outer Carton Dimension Standard (WxDxH) (mm)	221 x 506 x 469
Outer Carton Dimension Standard (WxDxH) (inch)	8.7 x 19.92 x 18.46
Weight (Net kg)	0.56
Weight (Gross kg)	1.39
Liter	N/A
VESA size	100 x 100 mm
Warranty	36months
Color	ID1/Black-Black-Black
EAN	4719072625276