

Be Your Window To The World


PRO DP180 series is designed for various scenarios including business, office, and learning. It features Intel Core i processor and memory up to dual channel 3200MHz 64GB and it supports 8K resolution to improve your productivity.



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI khuyến nghị sử dụng Windows 11 Pro for business
- Có thể nâng cấp tối đa sử dụng bộ vi xử lý Intel® Core™ i7 Processor 14700
- Hỗ trợ độ phân giải màn hình 8K với card đồ họa NVIDIA GeForce RTX - Hãy nhận được hiệu năng thế hệ tiếp theo với AI trên card đồ họa GeForce RTX
- Hỗ trợ lên đến 4 màn hình với dây các cổng I/O
- Wi-Fi 6E (Tùy chọn) tập trung vào an ninh truyền dẫn với tốc độ lên đến 2.4Gbps
- Thiết kế Dual LAN (2.5G & 1G LAN)
- Kết nối và truyền tải dữ liệu nhanh chóng với mạng Ethernet LAN băng thông rộng và độ trễ thấp 2.5Gbps
- Nhận được lợi ích từ hiệu năng của cổng kết nối USB 3.2 Gen 2 Type-C.
- Đầu đọc thẻ tích hợp hỗ trợ thẻ SD & Micro SD để đem đến sự thuận tiện và độ tương thích tốt nhất
- Dễ dàng tiếp cận và nâng cấp linh kiện để giữ cho hệ thống luôn được cập nhật bằng các linh kiện mới nhất
- Ứng dụng MSI Cloud Center đem đến cho bạn mạng đám mây cá nhân và giúp sao lưu tập tin từ thiết bị di động của bạn (Android & iOS)
- Ứng dụng MSI Center giúp bạn dễ dàng điều chỉnh trạng thái và tài nguyên hệ thống đáp ứng nhiều kịch bản sử dụng và nhu cầu khác nhau.
- Thiết kế TPM giữ an toàn cho dữ liệu mật của bạn bằng khóa mã hóa
- Hỗ trợ hai kiểu khoá Padlock và Kensington



1. 1x Headphone-out / 1x Mic-in
2. 2x USB 3.2 Gen 1 Type A
3. 1x USB 3.2 Gen 2 Type C
4. 1x Card Reader (Support SD & Micro SD Card)
5. 1x HDMI™ out (2.1) / 1x DisplayPort (1.4)
6. 1x D-Sub (VGA)
7. 2x USB 2.0 Type A / 1x PS/2
8. 1x USB 3.2 Gen 1 Type A / 1x RJ45 LAN (2.5G LAN)
9. 2x USB 2.0 Type A / 1x RJ45 LAN (1G LAN)
10. 3x Audio Jack
11. 1x Padlock
12. 1x COM Port
13. 1x Kensington Lock



PRO DP180 14th

PRO DP180 14-266XVN

SPECIFICATION

Model	MKT Name	PRO DP180 14
	MKT Spec	PRO DP180 14-266XVN
	Color	ID1/Black-Black-Black
Barcode Info	EAN	4711377187541
Operating Systems	Operating Systems	N/A
Processor	CPU Number	Intel Core i7 Processor 14700
	CPU Clock	2.1GHz
	CPU Cores	20
	TDP	65W
	Cache	33 MB Intel® Smart Cache
	Threads	28
	CPU Cooler	Air cooling 65W
Discrete Graphics	VGA I/O Port	N/A
	VGA MKT Name	N/A
	GPU1 VRAM Size	N/A
Chipset	Chipsets	H610
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR4 SDRAM
	Memory Speed	1600(3200)MHz
	Module Type	U-DIMM
	Memory Slot (Total/Free)	2/0
	Max Capacity	Max 64GB
Audio	Audio Chipset	Realtek ALC897
	Audio Type	7.1 Channel HD Audio
Communications	LAN	1x Intel I226-V+1x Intel I219-V
	WLAN	INTEL/AX211.NGWG.NV
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
Storage	SSD Size	512GB
	HDD1 Size	N/A
	SSD Config	512GB*1
	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	M.2 slots (Total/Free)	1/0
	HDD1 RPM	N/A
	HDD1 Form Factor	N/A
	HDD1 Interface	N/A
	3.5" Drive Bays (Total/Free)	1/1
	2.5" Drive Bays (Total/Free)	1/1
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
I/O Ports (Front)	USB 3.2 Gen 1 Type A	2
	USB 3.2 Gen 2 Type C	1
	Audio Mic-in	1
	Audio Headphone-out	1
In The Box	Keyboard Interface	USB
	Mouse Interface	USB
	Power Cord	1
	AC Adaptor	N/A
	Warranty Card	N/A
	Quick Guide	1
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	SK9626M
	Mouse	SM9023M



PRO DP180 14th

PRO DP180 14-266XVN

I/O Ports (Rear)	USB 3.2 Gen 1 Type A (R)	1
	USB 2.0 Type A (R)	4
	RJ45	2x (2.5G/1G)
	Card Reader	1
	VGA out	1
	HDMI™ out	1x (v2.1)
	DP out	1x (v1.4)
	PS/2	1
	COM Port	1
	Audio jack	3
Power	Power	500W
	Power Certification	80PLUS BRONZE
	Formfactor	ATX
	Type	POWER SUPPLY
Warranty	Warranty	36months
Dimension & Weight	Product Dimension (WxDxH) (mm)	168 x 323 x 369
	Product Dimension (WxDxH) (inch)	6.61 x 12.72 x 14.53
	Inside Carton Dimension (WxDxH) (mm)	N/A
	Inside Carton Dimension (WxDxH) (inch)	N/A
	Outer Carton Dimension Standard (WxDxH) (mm)	565 x 242 x 510
	Outer Carton Dimension Standard (WxDxH) (inch)	22.24 x 9.53 x 20.08
	Weight (Net kg)	7.592
	Weight (Gross kg)	9.03
	Liter	18
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)