

Be Your Window To The World

PRO DP21 series is designed for various scenarios including business or learning. The 2.3 Liter compact size featuring Intel Core i processor and memory up to dual channel 3200MHz 64GB and it supports 4K@60Hz to improve your productivity.



Picture and logos

SELLING POINTS

- Windows 11 Home - MSI khuyến nghị sử dụng Windows 11 Pro for business
- Có thể nâng cấp tối đa sử dụng bộ vi xử lý Intel® Core™ i7-13700 Processors
- Hỗ trợ độ phân giải màn hình 4K
- Wi-Fi 6 (Tùy chọn) tập trung vào an ninh truyền dẫn với tốc độ lên đến 2.4Gbps
- Với bộ cổng I/O hoàn chỉnh, máy có thể kết nối tất cả các thiết bị mà bạn cần và hỗ trợ hai màn hình.
- Nhận được lợi ích từ hiệu năng của cổng kết nối USB 3.2 Gen 2 kết hợp với độ thuận tiện của cổng USB Type-C có thể đảo chiều và cổng USB 3.2 Gen 2 Type-A siêu tốc.
- Dễ dàng tiếp cận và nâng cấp linh kiện để giữ cho hệ thống luôn được cập nhật bằng các linh kiện mới nhất
- Thiết kế TPM giữ an toàn cho dữ liệu mật của bạn bằng khóa mã hóa
- Ứng dụng MSI Cloud Center đem đến cho bạn mạng đám mây cá nhân và giúp sao lưu tập tin từ thiết bị di động của bạn (Android & iOS)
- Tùy biến chế độ người dùng của riêng mình và tăng cường hiệu suất với ứng dụng MSI Center
- Hỗ trợ giá treo chuẩn VESA



1. 1x Headphone-out
2. 1x Mic-in
3. 4x USB 2.0 Type A
4. 1x DC jack
5. 1x HDMI™ out (2.0)
6. 1x DisplayPort (1.4)
7. 1x RJ45
8. 1x USB 3.2 Gen 2 Type C / 1x USB 3.2 Gen 2 Type A
9. 2x USB 3.2 Gen 1 Type A
10. 1x Mic-in
11. 1x Line-out
12. 1x Kensington Lock
13. 1x COM port



SPECIFICATION

Operating Systems	Operating Systems	N/A
Processor	CPU Number	Intel Core i3-13100
	CPU Clock	3.4GHz
	CPU Cores	4
	TDP	60W
	Cache	12 MB Intel® Smart Cache
	Threads	8
	Max Turbo Frequency	up to 4.50 GHz
	CPU Cooler	Air cooling 65W
	Platform TOPS	N/A
	NPU TOPS	N/A
Chipset	Chipsets	H610
Discrete Graphics	GPU1 VRAM Size	N/A
	VGA I/O Port	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
Memory	Memory Size	8GB(8GB*1)
	Memory Type	DDR4 SDRAM
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/1
	Max Capacity	Max 64GB
Storage	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	256GB*1
	SSD Size	256GB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	2/2
	3.5" Drive Bays (Total/Free)	0/
Audio	Audio Chipset	Realtek ALC897
	Audio Type	5.1 Channel HD Audio
	D-MIC	N/A
Communications	LAN	Realtek RTL8111H
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3
	WLAN	INTEL/AX211.NGWWG.NV
I/O Ports (Front)	USB 2.0 Type A	4
	Audio Mic-in	1
	Audio Headphone-out	1
	USB 4 (40G) Type C	N/A
	Copilot Button	N/A
I/O Ports (Rear)	RJ45	1
	HDMI out	1x (v2.0)
	DP out	1x (v1.4)
	COM Port	1
	USB 3.2 Gen 2 (10G) Type C (R)	1
	USB 3.2 Gen 2 (10G) Type A (R)	1
	USB 3.2 Gen 1 (5G) Type A (R)	2
	Lock type	Kensington Lock
	USB 4 (40G) Type C (R)	N/A
	Configurable port	N/A



PRO DP21 13M

PRO DP21 13M-1084XVN

Power	Power	120W
	Power Certification	N/A
	Formfactor	N/A
	Type	ADAPTOR
VESA	VESA size	100 x 100 mm
Dimension & Weight	Product Dimension (WxDxH) (mm)	204 x 208 x 54.8
	Product Dimension (WxDxH) (inch)	8.03 x 8.19 x 2.16
	Inside Carton Dimension (WxDxH) (mm)	N/A
	Inside Carton Dimension (WxDxH) (inch)	N/A
	Outer Carton Dimension Standard (WxDxH) (mm)	271 x 382 x 122
	Outer Carton Dimension Standard (WxDxH) (inch)	10.67 x 15.04 x 4.8
	Weight (Net kg)	1.27
	Net Weight (lbs)	2.8
	Weight (Gross kg)	2.75
	Gross Weight (lbs)	6.06
	Liter	2.3
	Pint	4.86
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI
Warranty	Warranty	24months
In The Box	Keyboard Interface	USB
	Mouse Interface	USB
	Power Cord	1
	AC Adaptor	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	SG76130XUA
	Mouse	SM9023M
	Power Switch	N/A
Barcode Info	EAN	4711377364782
Model	Part No	9S6-B0A421-1084
	MKT Name	PRO DP21 13M
	MKT Spec	PRO DP21 13M-1084XVN
	Color	ID1/Black-Black-Black
	Model	B0A4