

## All About Gaming

Inspired by the rigorous quality testing in the production of MSI Optix G series, MSI Optix G series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, Optix G series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



## Selling Points

- Tấm nền IPS - Tối ưu màu sắc và độ sáng màn hình để tăng cường trải nghiệm xem.
- Tần số quét hình 144Hz - Đáp ứng nhanh hơn với khung hình mượt mà hơn.
- Thời gian đáp ứng 1ms - Xóa bỏ xé hình và giật hình.
- Night Vision - Tinh chỉnh màu đen thông minh để có thể nhìn thấy mọi chi tiết rõ ràng trong bóng tối.
- Dải màu rộng - Màu cho game và các chi tiết trở nên chân thực và sát sao hơn
- Game Mode - Chọn phong cách chơi game của bạn để trải nghiệm hiệu ứng hình ảnh tốt nhất.
- Thiết kế không viền - Đem đến trải nghiệm game đỉnh cấp với viền màn hình siêu hẹp.
- Chống chớp hình và giảm ánh sáng xanh - Chơi game thời gian dài cũng không bị mỏi mắt hay gặp các vấn đề về mắt khác.
- Góc nhìn rộng lên đến 178°; Màu sắc và chi tiết vẫn sắc nét ở góc nhìn lớn nhờ vào góc nhìn rộng đến 178°.



Picture and logos



1. 5-way joystick navigator
2. DC Jack
3. 2x HDMI (1.4)
4. 1x Display Port (1.2a)
5. 1x Earphone out
6. Kensington lock

## Specification

Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.888(H)x336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.3114(H)x0.3114(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	SDR Brightness (nits)	250
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	54~82 KHz(H) / 47~145 Hz(V)
	Activated Range	48Hz-144Hz
	Refresh Rate	144HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-glare
	NTSC (CIE1976 area percentage/overlap)	104.9%/83.7%
	NTSC (CIE1931 area percentage/overlap)	84.2%/77.1%
	sRGB (CIE1976 area percentage/overlap)	120.3%/99.4%
	sRGB (CIE1931 area percentage/overlap)	118.9%/99.9%
	Adobe RGB (CIE1976 area percentage/overlap)	103.1%/89.3%
	Adobe RGB (CIE1931 area percentage/overlap)	88.1%/82.3%
	DCI-P3 (CIE1976 area percentage/overlap)	95.8%/92.4%
	DCI-P3 (CIE1931 area percentage/overlap)	87.7%/86.7%
	Rec.709 (CIE1976 area percentage/overlap)	120.3%/99.4%
	Rec.709 (CIE1931 area percentage/overlap)	118.9%/99.9%
	Display Colors	16.7M
	Color bit	8 bits
	Note_DP	1920 x 1080 (up to 144Hz)
	Note_HDMI™	1920 x 1080 (up to 144Hz)
	Note_DVI	N/A
Onboard Graphics	HDMI™	2
I/O Ports	HDMI™ version	1.4
	DisplayPort	1
	DisplayPort version	1.2a
	Mic-in upstream	N/A
	Headphone-out	1
	Lock type	Kensington Lock
Power	Power Supply Type	External Adaptor 20V 2.25A
	Power Input	100~240V, 50/60Hz
	Adapter's KC safety Number	SU10469-15001
	Power Cord Type	C5
In The Box	DisplayPort Cable	0
	HDMI™ Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
Quick Guide	1	



M À N H Ì N H  
**Optix G272**  
OPTIX G272

Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (mm)	780 x 198 x 498
	Outer Carton Dimension (WxDxH) (inch)	30.71 x 7.8 x 19.61
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	612.5 x 228.2 x 444.3
	Product Dimension with Stand (WxDxH) (inch)	24.11 x 8.98 x 17.49
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	612.5 x 56.7 x 368.3
	Product Dimension without Stand (WxDxH) (inch)	24.11 x 2.23 x 14.5
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (mm)	474.0 x 228.2 x 267.3
	Stand Dimension (WxDxH) (inch)	18.66 x 8.98 x 10.52
Dimension & Weight	Inside Carton Dimensions (WxDxH) (mm)	765 x 183 x 473
	Inside Carton Dimensions (WxDxH) (inch)	30.12 x 7.2 x 18.62
	Weight (Net kg)	4.33
	Weight (Gross kg)	6.63
Warranty	Warranty	36M
Barcode Info	EAN	4719072772956
	UPC	824142233085
	UCC14	10824142233082