BUSINESS PRODUCTIVITY MONITOR

PRO MP225 E12VL

PRO MP225 E12VL

Slim, Sleek, Smooth



Picture and logos

SELLING POINTS

- Tận hưởng trải nghiệm giải trí chất lượng cao với tần số quét 120Hz mượt mà.
- Màn hình đạt chứng nhận TÜV, đảm bảo bảo vệ và chăm sóc sức khỏe thị lực.
- Công nghệ MSI EyesErgo kết hợp Anti-Flicker giúp giảm mỏi và căng thẳng cho mắt.
- MSI Eye-Q Check giúp tự kiểm tra tình trạng mắt và nhắc nhở nghỉ ngơi khi sử dụng màn hình trong thời gian dài.
- Thiết kế hỗ trợ VESA Mount giúp bố trí gọn gàng, tăng sự thoải mái và tính ngăn nắp cho không gian làm việc.
- Duy trì khả năng kết nối linh hoạt với nhiều thiết bị thông qua các cổng HDMI™ và D-Sub (VGA).
- Thiết kế hỗ trợ chuẩn VESA Mount và khe gắn phụ kiện.



1. 5-Way Navi Key
2. AC-in
3. 1x HDMI™ 1.4b (FHD@120Hz)
4. 1xD-Sub (VGA)
5. Kensington Lock

"2026-11-22 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

BUSINESS PRODUCTIVITY MONITOR

PRO MP225 E12VL

PRO MP225 E12VL

SPECIFICATION

Model	Part No	9S6-3PE0CM-039
	Color	ID1/Black-Black
Display	Screen Size	21.45" (54.48 cm)
	Active Display Area (mm)	478.656(H) x 260.28(V)
	Curvature	Flat
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.2493(H)x0.241(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	60~120Hz
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	300
	Contrast Ratio	4000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	52.8~132 KHz(H) / 48~120 Hz(V)
	Refresh Rate	120Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	TBD/TBD
	NTSC (CIE1931 area percentage/overlap)	TBD/TBD
	sRGB (CIE1976 area percentage/overlap)	TBD/TBD
	sRGB (CIE1931 area percentage/overlap)	TBD/TBD
	Adobe RGB (CIE1976 area percentage/overlap)	TBD/TBD
	Adobe RGB (CIE1931 area percentage/overlap)	TBD/TBD
	DCI-P3 (CIE1976 area percentage/overlap)	TBD/TBD
	DCI-P3 (CIE1931 area percentage/overlap)	TBD/TBD
	Rec.709 (CIE1976 area percentage/overlap)	TBD/TBD
	Rec.709 (CIE1931 area percentage/overlap)	TBD/TBD
	Rec.2020 (CIE1976 area percentage/overlap)	TBD/TBD
	Rec.2020 (CIE1931 area percentage/overlap)	TBD/TBD
	Surface Treatment	Anti-glare
	Display Colors	16.7M
	Color bit	8 bits
I/O Ports	D-Sub	1
	Lock type	Kensington Lock
	HDMI	1
	HDMI version	1.4b
	HDMI HDCP version	1.4
Warranty	Warranty	24M
Power	Power Type	Internal Power Board
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	15
	Annual Energy Consumption (KWh)	22
	Standby-mode Power Consumption (W)	0.5W
	Off-mode Power Consumption (W)	0.3W
	Energy Efficiency Rating	E
	Power Cord Type	C13

"2026-11-22 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

PRO MP225 E12VL

PRO MP225 E12VL

In The Box	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	492.8 x 182.4 x 378.0
	Product Dimension without Stand (WxDxH) (mm)	492.8 x 49.9 x 283.1
	Stand Dimension (WxDxH) (mm)	200.4 x 182.4 x 146.3
	Weight (Net kg)	2.4
	Weight Without Stand (kg)	2.1
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	56.7 x 12 x 36.5
	Outer Carton Dimension (WxDxH) (cm)	58.7 x 14 x 39.8
	Weight (Gross kg)	4.23
Barcode Info	EAN	4711377402880

“2026-11-22 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”